

# 2000 IKDC SUBJECTIVE KNEE EVALUATION FORM

Your Full Name \_\_\_\_\_

Today's Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Day Month Year

Date of Injury: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Day Month Year

## **SYMPTOMS\*:**

\*Grade symptoms at the highest activity level at which you think you could function without significant symptoms, even if you are not actually performing activities at this level.

1. What is the highest level of activity that you can perform without significant knee pain?

- 4  Very strenuous activities like jumping or pivoting as in basketball or soccer
- 3  Strenuous activities like heavy physical work, skiing or tennis
- 2  Moderate activities like moderate physical work, running or jogging
- 1  Light activities like walking, housework or yard work
- 0  Unable to perform any of the above activities due to knee pain

2. During the past 4 weeks, or since your injury, how often have you had pain?

Never	0	1	2	3	4	5	6	7	8	9	10	Constant
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3. If you have pain, how severe is it?

No pain	0	1	2	3	4	5	6	7	8	9	10	Worst pain imaginable
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4. During the past 4 weeks, or since your injury, how stiff or swollen was your knee?

- 4  Not at all
- 3  Mildly
- 2  Moderately
- 1  Very
- 0  Extremely

5. What is the highest level of activity you can perform without significant swelling in your knee?

- 4  Very strenuous activities like jumping or pivoting as in basketball or soccer
- 3  Strenuous activities like heavy physical work, skiing or tennis
- 2  Moderate activities like moderate physical work, running or jogging
- 1  Light activities like walking, housework, or yard work
- 0  Unable to perform any of the above activities due to knee swelling

6. During the past 4 weeks, or since your injury, did your knee lock or catch?

- 0  Yes    1  No

7. What is the highest level of activity you can perform without significant giving way in your knee?

- 4  Very strenuous activities like jumping or pivoting as in basketball or soccer
- 3  Strenuous activities like heavy physical work, skiing or tennis
- 2  Moderate activities like moderate physical work, running or jogging
- 1  Light activities like walking, housework or yard work
- 0  Unable to perform any of the above activities due to giving way of the knee

**SPORTS ACTIVITIES:**

8. What is the highest level of activity you can participate in on a regular basis?

- 4  Very strenuous activities like jumping or pivoting as in basketball or soccer
- 3  Strenuous activities like heavy physical work, skiing or tennis
- 2  Moderate activities like moderate physical work, running or jogging
- 1  Light activities like walking, housework or yard work
- 0  Unable to perform any of the above activities due to knee

9. How does your knee affect your ability to:

		Not difficult at all	Minimally difficult	Moderately Difficult	Extremely difficult	Unable to do
a.	Go up stairs	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
b.	Go down stairs	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
c.	Kneel on the front of your knee	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
d.	Squat	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
e.	Sit with your knee bent	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
f.	Rise from a chair	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
g.	Run straight ahead	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
h.	Jump and land on your involved leg	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>
i.	Stop and start quickly	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	0 <input type="checkbox"/>

**FUNCTION:**

10. How would you rate the function of your knee on a scale of 0 to 10 with 10 being normal, excellent function and 0 being the inability to perform any of your usual daily activities which may include sports?

FUNCTION PRIOR TO YOUR KNEE INJURY:

Couldn't perform daily activities	0	1	2	3	4	5	6	7	8	9	10	No limitation in daily activities
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

CURRENT FUNCTION OF YOUR KNEE:

Can't perform daily activities	0	1	2	3	4	5	6	7	8	9	10	No limitation in daily activities
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## Scoring Instructions for the 2000 IKDC Subjective Knee Evaluation Form

Several methods of scoring the IKDC Subjective Knee Evaluation Form were investigated. The results indicated that summing the scores for each item performed as well as more sophisticated scoring methods.

The responses to each item are scored using an ordinal method such that a score of 0 is given to responses that represent the lowest level of function or highest level of symptoms. For example, item 1, which is related to the highest level of activity without significant pain is scored by assigning a score of 0 to the response "Unable to perform any of the above activities due to knee pain" and a score of 4 to the response "Very strenuous activities like jumping or pivoting as in basketball or soccer". **For item 2, which is related to the frequency of pain over the past 4 weeks, the responses are reverse-scored such that "Constant" is assigned a score of 0 and "Never" is assigned a score of 10. Similarly, for item 3, the responses are reversed-scored such that "Worst pain imaginable" is assigned a score of 0 and "No pain" is assigned a score of 10.** Note: previous versions of the form had a minimum item score of 1 (for example, ranging from 1 to 11). In the most recent version, all items now have a minimum score of 0 (for example, 0 to 10). To score these prior versions, you would need to transform each item to the scaling for the current version.

The IKDC Subjective Knee Evaluation Form is scored by summing the scores for the individual items and then transforming the score to a scale that ranges from 0 to 100. **Note:** The response to item 10a "Function Prior to Knee Injury" is not included in the overall score. To score the current form of the IKDC, simply add the score for each item (the small number by each item checked) and divide by the maximum possible score which is 87:

$$\text{IKDC Score} = \left[ \frac{\text{Sum of Items}}{\text{Maximum Possible Score}} \right] \times 100$$

Thus, for the current version, if the sum of scores for the 18 items is 45 and the patient responded to all the items, the IKDC Score would be calculated as follows:

$$\text{IKDC Score} = \left[ \frac{45}{87} \right] \times 100$$

$$\text{IKDC Score} = 51.7$$

The transformed score is interpreted as a measure of function such that higher scores represent higher levels of function and lower levels of symptoms. A score of 100 is interpreted to mean no limitation with activities of daily living or sports activities and the absence of symptoms.

The IKDC Subjective Knee Form score can be calculated when there are responses to at least 90% of the items (i.e. when responses have been provided for at least 16 items). In the original scoring instructions for the IKDC Subjective Knee Form, missing values are replaced by the average score of the items that have been answered. However, this method could slightly over- or under-estimate the score depending on the maximum value of the missing item(s) (2, 5 or 11 points). Therefore, in the revised scoring procedure for the current version of a form with up to two missing values, the IKDC Subjective Knee Form Score is calculated as (sum of the completed items) / (maximum possible sum of the completed items) \* 100. This method of scoring the IKDC Subjective Knee Form is more accurate than the original scoring method.

A scoring spreadsheet is also available at: [www.sportsmed.org/research/index.asp](http://www.sportsmed.org/research/index.asp) This spreadsheet uses the current form scores and the revised scoring method for calculating scores with missing values.