

**Tyler P. Welch, M.D., FAAOS**  
**[www.SeacoastSportsSurgeon.com](http://www.SeacoastSportsSurgeon.com)**

## **REHABILITATION PROTOCOL – MENISCUS ROOT REPAIR**

### **Phase I (0-2 weeks)**

Weight Bearing: Non weight-bearing with brace locked in extension

Brace: Locked in extension when ambulating. Otherwise brace removed

ROM: 0-90° passive. Heel slides when sitting

Exercises:

- Quad sets, patellar mobilization, straight leg raises, ankle pumps

### **Phase II (2-6 weeks)**

Weight Bearing: Non weight-bearing with brace locked in extension

Brace: Locked in extension when ambulating. Otherwise brace removed

ROM: Full passive ROM

Exercises:

- Continue as above
- Closed chain exercises limited to 0-60° knee flexion
- Core, hip strengthening; gait training; stationary bike at 4 weeks

### **Phase III (6-12 weeks)**

Weight Bearing: As tolerated

Brace: Discontinue at 8 weeks post-op

ROM: Full passive ROM

Exercises:

- Continue as above
- Closed chain exercises (hamstrings, quads, glutes) – limited to 0-90° knee flexion
- Proprioception exercises
- Stationary bike

### **Phase IV: (12-20 weeks):**

Weight Bearing: As tolerated

Brace: None

ROM: Full

Exercises:

- Continue as above
- Advance to eccentric exercises (hamstrings, glutes, quads)
- Elliptical, stationary bike, swimming
- Start sport specific exercises at week 16 if cleared by Dr. Welch